


What is Animal Welfare?

Definition

Animal welfare can be a difficult concept to understand because it has no single definition and can mean different things to different people. Welfare generally refers to “the quality of an animal’s life as it is experienced by an individual animal”¹. At any particular time an animal’s welfare is influenced by many factors including their genetics (eg. selective breeding effects), previous experience (eg. learning and memory), physiological state (eg. health, nutrition and hunger level, reproductive status) and psychological state (eg. affective state/emotions, behavioural motivations, sensory perception). The three main views (below) are each needed in combination for good animal welfare:

- ◆ **Physical Wellbeing:** The extent an animal’s biological processes can cope with their environment (eg. their physical health)²
- ◆ **Mental Wellbeing:** An animal’s emotions and how they feel (eg. fearful, in pain, stressed, happy)³.
- ◆ **Natural Living:** The extent to which an animal lives and behaves as it would in the wild. Today’s domesticated species have retained the adaptations of their ancestors⁴, and so they need an environment which allows them to express their natural behaviour⁵. Whilst not all natural processes are good for welfare, positive natural behaviours should be promoted.

These three views can be combined to reflect an animal’s overall wellbeing and quality of life. Animal welfare in its holistic sense, encompasses not only the health and physical wellbeing of the animal, but the animal’s psychological wellbeing and the ability to express its own important behaviour (below left). Welfare can be described as high if the animals are fit and healthy, feeling good and free from suffering and have what they need and want. This is reflected in the Five Freedoms⁹ (below right).



The Five Freedoms

1. Freedom from hunger & thirst

by ready access to fresh water & a diet to maintain full health & vigour

2. Freedom from discomfort

by appropriate environment including shelter & comfortable resting area

3. Freedom from pain, injury or disease

by prevention or rapid diagnosis and treatment

4. Freedom to express normal behaviour

by providing sufficient space, proper facilities & company of the animal’s own kind

5. Freedom from fear & distress

by ensuring conditions & care which avoid mental suffering

Meeting these freedoms is essential in order to avoid suffering and poor welfare. However, there is increasing recognition and awareness that it is necessary for animals to experience positive emotions in order to have good welfare and a high quality of life^{7,8,9}. Therefore a sixth freedom should also be considered:

6. Freedom to undergo positive experiences - by providing appropriate conditions to experience positive emotions (eg. feeling contented, pleasure, relaxed, excited).

Emotions and Positive welfare

An animal’s mental state and emotions are inherently difficult to assess, due to their subjective nature and being experienced by the individual. However, new methods can reveal what an animal is feeling. For example, choice preference tests can reveal what an animal *needs* and *wants* by showing what an animal is willing to work for^{10,11}; cognitive bias tests

can show whether an animal currently possesses an 'optimistic' or 'pessimistic' mental state (whether they expect a positive or negative outcome from a neutral scenario)¹²; appraisal tests recording animal's behavioural and physiological reactions to a situation can show the type of emotion experienced^{7,13}; and observable behaviour signals ('body language') can reveal an animals' emotional state¹⁴.

To have good welfare animals need to experience positive emotions (the 'sixth' freedom). Figure 2 is a model of emotions, showing how they fall onto a dimension between high and low arousal and positive and negative feelings. Animals may have poor welfare when experiencing emotions on the left of the circle (eg. fearful, tense, unhappy or bored) and good welfare for emotions on the right (eg. excited, happy, satisfied).




Figure 2. A model of emotion, defined by dimensions of activity level and negative to positive feelings. Examples of emotions which fall into each area are shown outside the circle. Adapted from Russell [15], Russel & Carroll [16].

Examples of negative emotions which reduce welfare in animals include **fear** eg. to novel stimuli or through separation from their social group¹⁷, stress, pain¹⁸, **frustration** eg. through thwarting naturally-motivated behaviours¹⁹ or through lack of predictability or control over their environment²⁰ and boredom eg. through a lack of environmental stimulation²¹. Positive emotions which increase welfare include **pleasure** and **satiation** - such as from satisfying naturally motivated behaviours such as feeding, play, exploration, and social interaction⁷. The absence of positive emotions can indicate an animal is in a negative emotional state⁷.

Sentience

Farm animals are sentient beings, which means they have feelings that matter to them²², which is now recognised by EU Law (Treaty of Lisbon 2009). Sentient beings are intelligent animals, capable of feeling emotions such as fear and pain, as well as pleasure and happiness. Sentience is also important to welfare because animals' level of awareness and cognitive abilities influence people's attitudes and therefore their treatment of them²³.

Examples of complex abilities which highlight sentience in farm animals include:

Pigs:

- ◆ Are capable of using deception²⁴ and understanding knowledge held by other individuals when searching for food²⁵
- ◆ Can use vocal and olfactory cues to distinguish their home environment by one day old²⁶
- ◆ Show more play and exploratory behaviour and an optimistic mental state when given cognitive challenges in their environment^{27,28}
- ◆ Can identify faces to distinguish between different people wearing the same clothes²⁹
- ◆ Can understand what a mirror represents and use it to find food²³

Cattle:

- ◆ Value social contact with other individuals³⁰ and can remember up to 50-70 others²
- ◆ As calves, can distinguish different people using their height and face³¹
- ◆ Show excitement when they solve a problem, such as opening a gate³²
- ◆ Seem aware of others' emotions e.g. by reducing their feeding if a companion is stressed³³
- ◆ Engage in social play with their mother from a few days old³⁴

Chickens:

- ◆ Exert self-control³⁵ and can show emotional frustration³⁶
- ◆ When in pain, choose to eat a more aversive food that contains analgesia³⁷
- ◆ Use the sun to navigate complex environments and their spatial memory to find food at two weeks old³⁸
- ◆ Can solve mazes to be allowed access to dust-bathing material³⁹ or a nest⁴⁰ to carry out natural behaviour
- ◆ Communicate with representational noise signals, suggestive of 'language'⁴¹

Welfare and Productivity

Modern production systems can have different impacts on an animal's welfare. A useful conceptual model which explains how animal welfare and productivity (which translates to human benefit) interact is shown in Figure 3.




Figure 3. A framework for how animal welfare and productivity interact. From Mcinerney [42].

Point 'A' refers to a reference point of an animals' natural, unmanaged state without human intervention. 'B' refers to an optimal point of maximal welfare, where productivity and welfare have been simultaneously increased through management provisions of food, shelter, disease prevention and protection from predators. 'C' refers to the point beyond this, where attempts to increase productivity have reduced welfare. 'D' is where productivity has been increased to a point of minimal, severely compromised welfare and 'E' is the point where an animal has reached its' physiological limit, it cannot maintain fitness and it's productivity crashes. This model is not quantifiable, for example with milk yield, but is a useful concept that can be applied to any livestock production system⁴². While many animals in intensive systems may exist at point C or D, welfare in production systems should ideally lie between point B and C, nearest to B, achievable through good management, nutrition, veterinary care, housing and kind stockmanship.

People's views of animal welfare are influenced to differing degrees by deep-rooted cultural beliefs⁴³. A person with an 'industrial' view values life improved through science and technology and believes animal welfare is achieved through health, biological functioning, productivity of the group and control over nature. In stark contrast, a person with an 'agrarian' view values a traditional life, in harmony with nature and believes animal welfare is achieved through attention to emotions and freedom of the individual. An alternative compromise does exist, of 'professionalism' This belief involves using specialized skills and science to improve practice and setting publically acceptable standards. By this view animal welfare is achieved through specialized animal care. If producers move away from the agrarian view, adopting the professional rather than the industrial approach could simultaneously improve animal welfare and public trust for humane-sustainable agriculture⁴³.

References

- Bracke, M. B. M., Spruijt, B. M., Metz, J. H. M. 1999. Overall animal welfare assessment reviewed. Part 1: Is it possible? *Neth. J. Agri. Sci.* 47, 279-291.
- Fraser, A.F., Broom, D.M. 1990. *Farm Animal Behaviour and Welfare*, 3rd edition. CAB International, Wallingford, Oxon.
- Duncan, I.J.H. 1996. Animal welfare defined in terms of feelings. *Acta Agriculturae Scandinavica, Sect. A, Anim. Sci. Suppl.* 27, 29-35.
- Lawrence, A.B. 2007. What is Animal Welfare? In: Branson, E. *Fish Welfare*. Blackwell Publishing, Oxford.
- Rollin, B. 1992. *Animal Rights and Human Morality*. Prometheus Books, Buffalo, New York.
- FAWC, Farm Animal Welfare Council Report. 1993, Surrey, UK.
- Boissy, A., Manteuffel G., Jensen, M. B., Moe, R. O. Spruijt B., Keeling L. J., Winckler, C., Forkman, B., Dimitrov I., Langbein, J., Bakken, M., Veissier, I., Aubert, A. 2007. Assessment of positive emotions in animals to improve their welfare. *Phys. Behav.* 92, 375-397.
- Yeates, J. W., Main, D.C.J. 2008. Assessment of positive welfare: a review. *Vet. J.* 175, 293-300.
- FAWC, Farm Animal Welfare Council, 2009. *Farm Animal Welfare in Great Britain: Past, Present and Future*. London, UK.
- Dawkins, M.S. 1983. Battery Hens name their price: Consumer demand and the measurement of ethological 'needs'. *Anim. Behav.* 31, 1195-1205.
- Cooper, J.J., Mason, G.J., 2000. Increasing costs of access to resources cause re-scheduling of behaviour in American mink *Mustela vison*: implications for the assessment of behavioural priorities. *Appl. Anim. Behav. Sci.* 66, 135-151.
- Mendl, M., Burman, O.H.P., Parker, R.M.A. Paul, E.S. 2009. Cognitive bias as an indicator of animal emotion and welfare: Emerging evidence and underlying mechanisms *App. Anim. Behav. Sci.* 118, 161-181.
- Désiré L., Veissier I., Després G., Boissy, A. 2004. Assessment of positive emotions in animals to improve their welfare. *J. Comp. Psychol.* 118, 363-74.
- Rutherford, K.M.D., Donald, R.D., Lawrence, A.B., Wemelsfelder, F. 2012. Qualitative Behavioural Assessment of emotionality in pigs *Appl. Anim. Behav. Sci.* 139, 218-224.
- Russell, J. A., Lewicka, M.Niit, T. 1989. A Cross-Cultural-Study of A Circumplex Model of Affect. *Journal of Personality and Social Psychology.* 57, 848-56.
- Russell, J. A., Carroll, J.M. 1999. On the bipolarity of positive and negative affect. *Psychol. Bull.* 125, 3-30.
- Jones, B., Boissy, A. 2011. Fear and other negative emotions. In: Appleby, M. C., Mench, J. A., Olsson, A. S., Hughes, B. O. (eds.) *Animal Welfare*, 2nd edition. Cambridge University Press, Cambridge, UK. pp.78-97.
- Viñuela-Fernandez, I., Weary, D.M., Flecknell, P. 2011. Pain. In: Appleby, M. C., Mench, J. A., Olsson, A. S., Hughes, B. O. (eds.) *Animal Welfare*, 2nd edition. Cambridge University Press, Cambridge, UK. pp.64-77.
- Dawkins, M.S., 1988. Behavioural Deprivation: A Central Problem in Animal Welfare. *Appl. Anim. Behav. Sci.* 20, 209-225.
- Bassett, L., Buchanan-Smith, H.M., 2007. Effects of predictability on the welfare of captive animals. *Appl. Anim. Behav. Sci.* 102, 223-245.
- Wemelsfelder, F. 1993. The concept of animal boredom and its relationship to stereotyped behaviour. In: Lawrence, A.B., Rushen, J. (eds.) *CAB International*, Wallingford, pp. 65-95.
- Webster, J. 2005. *Animal Welfare*. Blackwell Publishing, Oxford.
- Broom, D. M., H. Sena, Moynihan, K.L. 2009. Pigs learn what a mirror image represents and use it to obtain information. *Anim. Behav.* 78, 1037-41.
- Held, S., Mendl, M., Devereux, C., Bryne, R. 2002. Foraging pigs alter their behaviour in response to exploitation *Anim. Behav.* 64, 157-166.
- Held, S., Mendl, M., Devereux, C., Byrne, R. W. 2000. Social tactics of pigs in a competitive foraging task: the 'informed forager paradigm'. *Anim. Behav.* 59, 569-576.
- Horrell, I., Hodgson, J. 1992. The Bases of Sow-Piglet Identification. 2. Cues Used by Piglets to Identify Their Dam and Home Pen *App. Anim. Behav. Sci.* 33, 329-343.
- Chaloupkova, H., Illman, G., Bartos, L. 2007. The effect of pre-weaning housing on the play and agonistic behaviour of domestic pigs *App. Anim. Behav. Sci.* 103, 25-34.
- Manteuffel, G., Langbein, J., Puppe, B. 2009. Assessment of positive emotions in animals to improve their welfare. *Anim. Welfare.* 18, 87-95.
- Koba, Y., H. Tanida. 2001. How do miniature pigs discriminate between people? Discrimination between people wearing coveralls of the same colour. *App. Anim. Behav. Sci.* 73, 45-58.
- Munksgaard, L., Jensen, M.B., Pedersen, L.J., Hansen, S.W., Matthews, L. 2005. Quantifying behavioural priorities-effects of time constraints on behaviour of dairy cows, *Bos taurus* *App. Anim. Behav. Sci.* 92, 3-14.
- Rybarczyk, P., Koba, Y., Rushen, J., Tanida, H., Marie de Passillé, A. 2001. Can cows discriminate people by their faces? *App. Anim. Behav. Sci.* 74, 175-89.
- Hagen, K., Broom, D.M. 2004. Emotional reactions to learning in cattle. *App. Anim. Behav. Sci.* 85, 203-213.
- Bouissou, M.F., Boissy A., Le Neindre P., Veissier I. 2001. The Social Behaviour of Cattle. In: Keeling, L.J., Gonyou, H.W. (eds.) *Social behaviour in Farm Animals*, CABI Publishing.
- Jensen, M. B. 2011. Early behaviour of cow and calf in an individual calving pen. *App. Anim. Behav. Sci.* 134, 92-99.
- Abeyesinghe, S. M., Nicol, C.J., Hartnell, S.J., Wathes, C.M. 2005. Can domestic fowl, *Gallus gallus domesticus*, show self-control? *Anim. Behav.* 70, 1-11.
- Zimmerman, P. H., P. Koene, van Hooff, J. A. R. A. 2000. The vocal expression of feeding motivation and frustration in the domestic laying hen, *Gallus gallus domesticus* *App. Anim. Behav. Sci.* 69, 265-73.
- Danbury, T. C., Weeks, C.A., Chambers, J.P., Waterman-Pearson, A.E., Kestin, S.C. 2000. Self-selection of the analgesic drug carprofen by lame broiler chickens. *Vet. Rec.* 146, 307-311.
- Zimmerman, P. H., Pope, S.J., Guilford, T. Nicol, C.J. 2003. Navigational ability in the domestic fowl (*Gallus gallus domesticus*). *App. Anim. Behav. Sci.* 80, 327-36.
- Petherick, J. C., D. Waddington, Duncan, I.J.H. 1990. Learning to Gain Access to A Foraging and Dustbathing Substrate by Domestic-Fowl - Is Out of Sight Out of Mind? *Behav. Proc.* 22, 213-26.
- Weeks, C.A. Nicol, C.J. 2006. Behavioural needs, priorities and preferences of laying hens *World Poultry Sci. J.* 62, 296-307.
- Evans, C.S., Evans, L. 2007. Representational signaling in birds. *Biol. Lett.* 3, 8-11.
- McInerney, J. 2004. *Animal Welfare, Economics and Policy*. Defra, London, UK.
- Fraser, D. 2012. Understading Animal Welfare. Proceedings of the First Dairy Cattle Welfare Symposium. October 24-26 2012, Guelph, Ontario, Canada.